





















CATALOGUE



CATALOGUE INDEX

Welcome to CRS Accessories

CRS is an Australian owned and operated company established in 2005. Our focus is to provide the market place with high quality, reliable aftermarket 2way radio accessories. Under the leadership of the Director Mr Justin Salisbury, a qualified radio technician with over 36 years experience in the industry, the company successfully provides accessories throughout the Australia/Pacific region.

As you can appreciate, 2way radio accessories are 'mission-critical' components to their users in many industries. Consequently, every accessory that is listed on our website has been subjected to thorough R&D and extensively field tested to exacting standards before release to our clients

We use high quality components in our products to ensure their reliability e.g. PU cable reinforced with Kevlar for maximum durability; Electret condenser mics for superior audio quality; positive action PTT for reliable transmission – are just a few examples.

CRS provides accessories for all brands of Portable, Mobile, Digital and Analogue 2way Radios – Motorola, Kenwood, Icom, Tait, Sepura, GME, Hytera, Vertex, HYT, Uniden, Simoco, Harris, Kirisun, Midland, ToooAir and the many other random brands not previously mentioned that arrive on our shores.

We welcome your enquiries and look forward to the opportunity of supplying you with quality 2way radio accessories, support and advice.

When you want the best, insist on CRS.

CONTACT

From within Australia: 1300 307 334

Telephone: +61 8 8351 4595

Email: info@crsaccessories.com.au

EVERYONE WANTS TO
KNOW OUR SECRET.
Additions **
NEMACOD Quantum Ecom
talk man
100°
Allen
(Constant) (Const
real-in careant fits are 1970; consulted to spally and corries limited. The secret's out.
Assist on CRS1
Phone 1300 307 334

PRODUCT CATEGORY	PAGE
AUDIO ADAPTORS	2-3
EARPIECE OVERVIEW	4
EARPIECES – LISTEN ONLY, 1 & 2 WIRE HARNESSES	5
EARPIECES – LISTEN ONLY SHORT	6
EARPIECES – LISTEN ONLY LONG	7
EARPIECES – 1 WIRE OPTIONS	8
EARPIECES – 2 WIRE OPTIONS	9
EARPIECE ACOUSTIC AIRTUBE SPARES	10
SPECIALIST SURVEILLANCE	11
WIRELESS PTT SURVEILLANCE KIT	12
TACTICAL RESPONSE WIRELESS PTT	13
BLUETOOTH KITS	14
VEHICLE WIRELESS PTT	15
RACING AUDIO	16
WIRELESS PTT REMOTE SPEAKER MICROPHONE COMBOS	17
PMR MICROPHONES AND LMR VEHICLE/BASE MICROPHONES	18
LIGHTWEIGHT HEADSETS	19
HEAVY DUTY BEHIND HEAD NOISE CANCELLING HEADSETS	20
HEAVY DUTY OVER THE HEAD NOISE CANCELLING HEADSETS	21–22
SWITCHING POWER SUPPLIES	23
RADIO CHARGERS	24
CARRY CASES – LEATHER	25
CARRY CASES – NYLON	26
CARRY CASES - CHEST HARNESSES - HOLSTERS	27
CONNECTOR CHART	28-30



AUDIO ADAPTORS



CRS-K2/K1

Kenwood Multi Pin to 2 Pin Adaptor

AVAILABLE FOR: TK-280/380, TK-290/390, TK-385, TK-480, TK-481, TK-2041, TK-2140/3140, TK-3148, TK-2180/3180, NX-200/300, NX-3200/3300, NX-5200/5300.



CRS-K2/HR

Kenwood Muiltpin to Motorola Hirose Adaptor

AVAILABLE FOR: TK-280/380, TK-290/390, TK-385, TK-480, TK-481, TK-2041, TK-2140/3140, TK-3148, TK-2180/3180, NX-200/300, NX-3200/3300, NX-5200/5300.



CRS-M5/M1

Motorola GP328Plus to Motorola 2 Pin (GP300) Adaptor

AVAILABLE FOR: Motorola GP328Plus, GP338Plus, GP344, GP388, EX500, EX600, GL2000, PRO5150Elite. GP329Plus, GP339Plus, GP338XLS, GP628Plus, GP638Plus, GP629Plus, GP639Plus, PTX700Plus/760Plus, PTX800Plus/860Plus.



CRS-M7/M1

Motorola TRBO to Motorola 2 Pin (GP300) Adaptor

AVAILABLE FOR: Motorola APX6000, APX7000, XPR6300/6500/6350/6550, DP3400, DP3600, DP3401, DP3601, DP4400, DP4600, DP4401, DP4601, DP4801



CRS-M7/M3

Motorola Multi Pin (TRBO) to 3.5mm Threaded (Visar) Adaptor

AVAILABLE FOR: Motorola APX6000, APX7000, XPR6300/6500/6350/6550, DP3400, DP3600, DP3401, DP3601, DP4400, DP4600, DP4401, DP4601, DP4801,



CRS-M7/HR

Motorola Multi Pin (TRBO) to Motorola Hirose Adaptor

AVAILABLE FOR: Motorola APX6000. APX7000, XPR6300/6500/6350/6550, DP3400, DP3600, DP3401, DP3601 DP4400, DP4600, DP4401, DP4601, DP4801,



CRS-M12/M1

Motorola Multi Pin (TRBO) to Motorola 2 Pin (GP300) Adaptor

AVAILABLE FOR: DP2000, DP2400/2400e, DP2600/2600e, DP3440/3441, DP3441e, DP3661e, XPR3300, XPR3500, MTP3100, MTP3250, MTP3500, MTP3550.



CR5

AUDIO ADAPTORS





Motorola TRBO to Motorola Hirose (6 pin saber wiring) Adaptor

Don't throw out your old Hirose Motorola Accessories just because you have upgraded to the Motorola TRBO product, just purchase our CRS-M12/HR adaptor and save money. This well priced audio adaptor is manufactured using only the highest quality components. The use of audio adaptors for the models below is generally a more cost effective option in the long-term than purchasing hardwired accessories.

AVAILABLE FOR: Motorola DP2000, DP2400/2400e, DP2600/2600e, DP3440/3441, DP3441e, DP3661e, XPR3300, XPR3500, MTP3100, MTP3250, MTP3500, MTP3550.



CRS-T1/HR2

TAIT Multipin to Motorola Hirose (6 pin saber wiring) Adaptor

Don't throw out your old Hirose Motorola Accessories just because you have upgraded to the Tait Multipin product, just purchase our CRS-T1/HR2 adaptor and save money. This well priced audio adaptor is manufactured using only the highest quality components. The use of audio adaptors for the models below is generally a more cost effective option in the long-term than purchasing hardwired accessories.

AVAILABLE FOR: TAIT TP8110, TP8115, TP8120, TP8135, TP8140, TP7110, TP9300, TP9400.



CRS-Q2/iPod MP3/iPod Earphone Adaptor

Undercover with an airtube earpiece?
Unlikely. CRS Accessories can now blend you into the crowd.

A number of law enforcement agencies asked us to develop an adaptor so that they can use their MP3/iPod earpieces for covert ops and be connected to their 2way radios. So we developed an adaptor that has a 3.5mm connection for your MP3/iPod earpiece at one end. The other end connects to our 1 wire and 2 wire harnesses that go directly to your chosen 2way radio.

Suits all brands of 2way radios.



CRS-Q2/NEXUS2P

Q2 to Nexus 2 Pin Adaptor

This audio adaptor was specifically built for SAPOL in SA to enable connection of our 1 wire, 2 wire and 2 wire Wireless PTT harnesses (anything with our unique Q2 connection) to the Peltor MT15H68FB Electronic Level-Dependent Hearing Protector.

MICROPHONE ADAPTOR FOR GAS MASKS

The Q2/Nexus2P adaptor can be also used in gas masks which have a built in microphones. This adaptor allows the microphone of the gas mask to be connected to our CRS-2WHWPTR 2Wire Wireless PTT Tactical Surveillance Kit, but not to any of our other products.

Suits all brands of 2way radios.




CRS-EYS

Y Splitter for 1WH/2WH Earpiece

The Y Splitter enables you to use any configuration of two (2) earpieces in the CRS Accessories range on our 1 wire and 2 wire harnesses. For example, you could use 2 x CRS-EH with a CRS-1WH or mix it up 1 x CRS-GH, 1 x CRS-LAT with a CRS-2WH. The Y Splitter enables you to build up the configuration suitable for your requirements.

The most popular option is: 2 x CRS-LAT and 1 x CRS-1WH.



- Accessories that plug into the adaptor are a cheaper option than the direct connection accessory.
- Existing accessories can be utilised on current model radios.
- Quick disconnection of the accessory is ideal for staff sharing a radio but not sharing the accessory.
- Different staff can use a variation of accessories on the one radio with the ability to quickly interchange.
- If an accessory is damaged the replacement cost is far cheaper.
- Adaptors are manufactured using only the highest quality components.
- All adaptors come with a 1 year warranty.

CRS-Q2/3.5mm

3.5mm Stereo Headset Adaptor

We were asked to develop an adaptor which enables the user to connect their existing stereo headset with 3.5mm stereo input to our two way radio harnesses. One end has a 3.5mm stereo connection to plug into your existing stereo headset socket and the other end connects to our 1 wire/2 wire and listen only harnesses that goes directly to your chosen 2way radio.

Suits all brands of 2way radios.



EARPIECES



EARPIECE OVERVIEW

CRS Accessories earpieces have been designed for end user flexibility. Earpieces are a very personal preference and our system allows any earpiece e.g. ear hook, dhook, acoustic airtube, etc to connect to any of our listen only, 1 wire and 2 wire harnesses.

The listen only harnesses curly cord cables can be purchased with a short or long cable with a choice of 2.5mm, 3.5mm or 3.5mm threaded connection. Simply plug in your earpiece preference.

The 1 wire and 2 wire harnesses provide direct connection to the 2way radio and contain an inline positive action PTT (push to talk) with electret microphone. At the connection point simply attach the earpiece of your choice.

INTERCHANGEABLE EARPIECES OPTIONS AVAILABLE FOR THE LISTEN ONLY, 1 WIRE AND 2 WIRE HARNESSES

- 1. CRS-EB = Earbud
- 2. CRS-DH = DHook
- 3. CRS-EH = Earhook
- 4. CRS-EHL = Large Earhook
- 5. CRS-GH = GHook
- CRS-SAT = Short Acoustic Airtube (threaded short acoustic air tube and slim line transducer)
- CRS-LATM = Moulded Long Acoustic Airtube (non replaceable clothing clip and fixed angle airtube)
- 8. CRS-LAT = Long Acoustic Airtube (replaceable clothing clip, threaded acoustic airtube, slimmer design and more angle adjustment)
- 9. CRS-EYS = Y Splitter for 1WH/2WH Earpiece



CRS-DH Dhook





CRS-EH Earhook

CRS-EHL Large Earhook









CRS-SAT CRS-LATM Moulded Long Acoustic Airtube

CRS-LAT
Long Acoustic Airtube



MOTOROLA

ICOM

I Iniden







KENWOOD







Please refer to Connector Chart at back of Catalogue

- Super flexible PU cable reinforced with Kevlar strands for maximum durability.
- Strong and durable disconnect system with a release tension of 2 kilograms and cable strength of up to 12 kilogram strain. (i.e. the earpieces will always unplug before the cable is damaged).
- Accidental activation proof PTT.
- Electret Condenser Microphone provides superior audio quality.
- . Positive action PTT for reliable transmissions.
- Replaceable mushroom ear tips or ear moulds on the airtube earpiece range and comfortable foam covers that are easily replaced on all other models.
- 12 month warranty.
- AVAILABLE FOR ALL BRAND AND MODEL 2WAY RADIOS: Please refer to Connector Chart at back of Catalogue.
- · Earpieces and harnesses can be purchased individually or as a package.



CRS-EYS Y Splitter

EARPIECES – LISTEN ONLY, 1 & 2 WIRE HARNESSES





140 10 860 +0 (mm)



CRS-LOHS Listen Only Harness - Short

CRS-LOHL Listen Only Harness - Long

- Choice of short or long cable with 2.5mm, 3.5mm and 3.5mm threaded
- Interchangeable earpiece options.
- Super flexible PU cable reinforced with Kevlar strands for maximum durability.
- 12 month warranty.

CRS-1WH

1 Wire Harness

The unique 1 Wire Harness Kit allows the user to interchange our range of accessory earpieces to suit the environment they are working in. The cable runs in one continuous line from the radio through to the earpiece.

durability.

2 Wire Harness

The 2 Wire Harness has been designed so the cable splits into two at the PTT/Mic enabling the user to conceal the cable underneath their clothing with the earpiece running up from the back of the collar/t-shirt, etc. Popular with security or anyone who need the cable to be discretely hidden.



CRS-2WHTR

2 Wire Tactical Response Harness

Law enforcement officers depend on fast, reliable 2way radio communications and it can be dangerous to remove your attention - away from the situation at hand. The Tactical Response harness has also been fitted with a large positive action chest mounted ptt button and longer cable from radio to the Chest Mounted PTT.



• Strong and durable disconnect systems with a release tension of 2 kilograms and cable strength of up to 12 kilogram strain. (i.e. the earpieces will always unplug before the cable is damaged).

Super flexible PU cables reinforced with Kevlar strands for maximum

Accidental activation-proof PTT.

Interchangeable earpiece options.

- Electret Condenser Microphones provide superior audio quality.
- Positive action PTT for reliable transmissions.
- 12 month warranty.



The earpieces can

be REPLACED OR

with the following earpieces: Earbud, Earhook, Earhook

Large, DHook,

GHook, Short

Airtube, Long

Airtube, Long Dual

Airtube or Long Moulded Airtube.

- Tactical response design with longer cable from radio to large PTT and short cable from large PTT to earpiece.
- Large chest mounted PTT
- Any CRS Accessories earpiece option can be used with this custom harness.
- Available connections: Motorola M7





ARPIECES

MOTOROLA

Hytera

Please refer to Connector Chart at

back of Catalogue

CR5 ACCESSORIES


EARPIECES – LISTEN ONLY SHORT




CRS-LOEBS
Listen Only Earbud Short



CRS-LOEHS Listen Only Earhook Short



CRS-LOEHLS
Listen Only Large Earhook Short
CRS-LODHS
Listen Only DHook Short



ort CRS-LOGHS

Listen Only GHook Short



CRS-LOLATMS
Listen Only Moulded
Airtube Short



CRS-LOLATS
Listen Only Long Airtube
Short




CRS-LOSATS
Listen Only Short Airtube
Short



CRS-LOLATEYSS
Listen Only Y Splitter
Dual Airtube Short



CRS-LOEHEYSS
Listen Only Y Splitter
Dual Earhook Short



(mm)

CRS-LOGHEYSS
Listen Only Y Splitter
Dual GHook Short




CRS-LOHS Listen Only Harness Short

www.crsaccessories.com.au

MOTOROLA




EARPIECES – LISTEN ONLY LONG




CRS-LOEBL Listen Only Earbud Long




CRS-LOEHL Listen Only Earhook Long



Listen Only Large Earhook Long Listen Only DHook Long



CRS-LODHL




CRS-LOGHL Listen Only GHook Long



CRS-LOLATML Listen Only Moulded Airtube Long



CRS-LOLATL Listen Only Long Airtube



CRS-LOSATL Listen Only Short Airtube




CRS-LOLATEYSL Listen Only Y Splitter **Dual Airtube Long**



CRS-LOEHEYSS Listen Only Y Splitter **Dual Earhook Long**



CRS-LOGHEYSS Listen Only Y Splitter **Dual GHook Long**



CRS-LOHL Listen Only Harness Long

Please refer to Connector Chart at back of Catalogue

Hytera

EARPIECES – 1 WIRE OPTIONS



CRS-1WEB Earbud Earpiece

Based on the popular mobile phone style accessory but modified for the radio user.



CRS-1WEH Earhook Earpiece

Pivot design allows for wear in the left or right ear. Flexible, soft, PU material for comfortable wear.



CRS-1WEHL Large Earhook Earpiece

Combination of the DHook and Earhook earpiece. Non intrusive - perfect for share situations (hygienic). Pivot design allows for wear in the left or right ear. Flexible, soft, PU material for comfortable wear.



CRS-1WDH DHook Earpiece

Non intrusive - perfect for share situations (hygienic). Secured by the whole ear (left or right).

Flexible, soft, PU material for comfortable wear.



CRS-1WGH GHook Earpiece

Combination of the Large Earhook and Dhook earpiece. Non intrusive - perfect for share situations (hygienic). No foam cover - simply swab with an alcohol based solution. Pivot design allows for wear in the left or right ear.



CRS-1WSAT

Short Acoustic Airtube Earpiece

Sleek, high quality transducer making the earpiece very lightweight.

Cost Saving by making the screw in airtube section personal issue and leaving the rest of the harness on the radio.



The unique 1 Wire Harness Kit allows the user to interchange our range of accessory earpieces to suit the environment they are working in. The cable runs in one continuous line from the radio through to the earpiece.

The earpieces can be REPLACED OR **INTERCHANGED** with the following earpieces: Earbud, Earhook, Earhook Large, DHook, GHook, Short Airtube, Long Airtube, Long Dual Airtube or Long Moulded Airtube.



ICOM Uniden









KENWOOD







Please refer to **Connector Chart at** back of Catalogue



Moulded Long Acoustic Airtube Earpiece

Covert.

Non-replaceable clothing clip, larger transducer, airtube does not screw in.



CRS-1WLAT

Long Acoustic Airtube Earpiece

Covert.

Cost Saving by making the screw in airtube section personal issue and leaving the rest of the harness on the radio. Replaceable clothing clip.



Combination of the Large Earhook and Dhook earpieces. Non-intrusive - perfect for share situations (hygienic). No foam cover - simply swab with an alcohol based solution. Pivot design allows for wear in the left or right ear.

CRS-1WGHEYS



CRS-1WEHEYS

1 Wire Y Splitter Dual Earhook Earpiece

Pivot design allows for wear in the left of right ear. Flexible, soft, PU material for comfortable wear.



CRS-1WLATEYS

1 Wire Y Splitter Dual Acoustic Airtube Earpiece

Replaceable clothing clip, small transducer, airtubes screw in. Use in conjunction with CRS-AEP (noise attenuating earplugs) for high noise environments.



Earpiece attaches **HERE at the Harness**



CRS-1WH 1 Wire Harness

CRS ACCESSORIES CATALOGUE



EARPIECES – 2 WIRE OPTIONS



CRS-2WEB Earbud Earpiece

Based on the popular mobile phone style accessory but modified for the radio user



CRS-2WEH Earhook Earpiece

Pivot design allows for wear in the left or right ear. Flexible, soft, PU material for comfortable wear.



CRS-2WEHL Large Earhook Earpiece

Combination of the DHook and Earhook earpiece. Non intrusive - perfect for share situations (hygienic).

Pivot design allows for wear in the left or right ear.

Flexible, soft, PU material for comfortable wear.



CRS-2WDH DHook Earpiece

Non intrusive - perfect for share situations (hygienic). Secured by the whole ear (left or right).

Flexible, soft, PU material for comfortable wear



CRS-2WGH GHook Earpiece

Combination of the Large Earhook and Dhook earpiece. Non intrusive - perfect for share situations (hygienic). No foam cover - simply swab with an alcohol based solution. Pivot design allows for ear in the left or right ear.



CRS-2WLATM

Moulded Long Acoustic Airtube Earpiece

Non-replaceable clothing clip, larger transducer, airtube does



The 2 Wire Harness cable splits into two at the PTT/ Mic enabling the user to conceal the cable underneath their clothing with the earpiece running up from the back of the collar/t-shirt, etc. Popular with security or anyone who needs a discretely hidden cable.

REPLACE OR INTERCHANGE earpieces with the following: Earbud, Earhook, Earhook Large, DHook, GHook, Short Airtube, Long Airtube, Long Dual Airtube or Long Moulded Airtube.



ICOM Uniden









KENWOOD







Please refer to **Connector Chart at** back of Catalogue



CRS-2WLAT

Long Acoustic Airtube Earpiece

Covert.

Cost Saving by making the screw in airtube section personal issue and leaving the rest of the harness on the radio. Replaceable clothing clip.



Short Acoustic Airtube Earpiece

Sleek, high quality transducer making the earpiece very lightweight.

Cost Saving by making the screw in airtube section personal issue and leaving the rest of the harness on the radio.



CRS-2WLATEYS

2 Wire Y Splitter Dual Acoustiv Earpiece with Inline PTT/Mic

Replaceable clothing clip, small transducer, airtubes screw in. Use in conjunction with CRS-AEP (noise attenuating earplugs) for high noise environments.



CRS-2WGHEYS

2 Wire Y Splitter GHook Earpiece with Inline PTT/ Mic

Combination of the Large Earhook and Dhook earpieces. Non-intrusive - perfect for share situations (hygienic). No foam cover - simply swab with an alcohol based solution. Pivot design allows for wear in the left or right ear.



CRS-2WEHEYS

2 Wire Y Splitter Dual Hook Earpiece with Inline PTT/Mic

Combination of the Large Earhook and Dhook earpieces. Non-intrusive - perfect for share situations (hygienic). No foam cover - simply swab with an alcohol based solution.

Pivot design allows for wear in the left or right ear



CRS-2WLATTR

Tactical Response Large PTT

Tactical response design with longer cable from radio to large PTT and short cable from large PTT to earpiece.

Large chest mount PTT. Replaceable clothing clip, small transducer, airtubes screw in.



Earpiece attaches HERE at the Harness



CRS-1WH 2 Wire Harness

EARPIECE ACOUSTIC AIRTUBE SPARES SUITS ALL AIRTUBE EARPIECE PRODUCTS



CRS-EM1

Acoustic Airtube Ear Moulds

The surgical grade acoustic airtube ear mould is available in small, medium and large for left or right ear. The ear moulds allow ambient sounds to be heard and provide exceptional comfort.



CRS-EM2

Translucent White Acoustic Airtube Ear Mould

The translucent white acoustic airtube ear mould is available in small, medium and large for left or right ear. The ear moulds allows ambient sounds to be heard and provide exceptional comfort. Made of a super flexible, soft plastic compound. Can be purchased as a single unit or package.



CRS-MET

Mushroom Eartip for Acoustic Airtube Earpieces

Durable surgical grade clear silicon mushroom eartips.



CRS-METS

Small Mushroom Eartip

Conical shaped surgical grade silicon mushroom eartip to suit smaller ear canals suitable for all airtube earpieces.



CRS-AEP

Attenuating Earplug

The CRS-AEP is a comfortable re-usable noise attenuating earplug.



CRS-LATCD

Long Acoustic Airtube complete with screw

purposes and save lots of money at the same time... e.g. you have 10 x radios and 30 x staff all wanting to use acoustic airtube earpieces. Simply buy 10 x complete acoustic airtube earpiece packages and purchase 20 x CRS-LATCD or 20 x CRS-SATC for the rest.



CRS-SATC

Short Acoustic Airtube complete with screw

Make the CRS-LATCD or CRS-SATC personal issue for hygiene



CRS-LATC

Long Acoustic Airtube

This package includes a durable surgical grade silicon long acoustic airtube complete with elbow and surgical grade mushroom eartip (available only in clear).



- · Save Money.
- · Staff are responsible for their own earpiece section.
- Hvaiene (WHS).
- Protects the integrity of the accessory socket as the earpiece harness remains on the radio (not plugged in and out all the time).



SPECIALIST SURVEILLANCE

CRS Accessories have designed a group of products for high end covert security operation. The flexibility of these products enables the end user multiple applications.

For BASIC SURVEILLANCE people use the CRS-2WLAT (2 wire long acoustic airtube). This is now no longer seen as covert as everyone is familiar with the "James Bond" look.

NEW COVERT OPTIONS

One new product is the Q2/MP3 adaptor that fits onto our earpiece harness series (1 wire, 2 wire and WPTT). The adaptor allows you to plug in your iPod/MP3/MP4 earphone/headsets giving you the appearance of listening to your MP3 player or phone when in fact you are in contact via the 2way radio to your colleagues.

Our Wireless PTT solutions provide even greater flexibility by allowing the user to be hands free as the Wireless PTT button (transmitter) can be hidden in your pocket, secured to forward pistol grip or to the steering wheel of a vehicle. There is a second PTT backup button located on the receiver.



Combine a CRS-2WH (2wire harness with inline PTT/Mic) with a CRS-Q2/MP3 (iPod/MP3 adaptor) and add on your own iPod/MP3/MP4 earpiece/headsets allowing you to just blend into the crowd.



Combine a CRS-2WHWPTT (2wire harness with wireless PTT button and microphone) with a CRS-Q2/MP3 (iPod/ MP3 adaptor) and add on your own iPod/MP3/MP4 earpiece/ headsets. The microphone is discrete and the wireless PTT button can be hidden in a pocket, palm of your hand, Velcro to your finger, wherever. The wireless PTT button is waterproof and will last approximately 2 years before needing to be replaced.

Don't be a bunny. Just contact the crack team at CRS.



CR5

WIRELESS PTT SURVEILLANCE KIT

CRS-2WLATWPTT

The Wireless PTT Surveillance kit is like the 3 wire surveillance kit but without the extra cable.

This new innovation allows the user to be hands free as the Wireless PTT button (transmitter) can be hidden in your pocket, secured to forward pistol grip or secured to the steering wheel of a vehicle, wherever practical.

The Wireless PTT (transmitter) is IP67 rated and completely water proof.

There is no charging of batteries as this product has been designed to be pressed 100,000 times (approximately 2 years) before the Wireless PTT button needs replacing. If the Wireless PTT button does fail there is a second PTT backup button located on the receiver.

IDEAL for:

- Covert operations undercover police/ customs/AFP accompany with the earbud to look like an iPod/MP3.
- Plain clothes protection officers who require discrete communications when they are providing protection for VIPs.
- Anybody who uses a Portable radio can secure the Wireless PTT to the steering wheel/pistol grip for hands free.
- Security.









- Variety of earpiece options (e.g. earhook, acoustic airtube, dhook, earbud, etc).
- Working frequency is 2.4G.
- Discrete microphone.
- IP67 waterproof wireless PTT button.

CR5

TACTICAL RESPONSE WIRELESS PTT



CRS-2WLATWPTR

2 Wire Tactical Response WPTT

Law enforcement officers depend on fast, reliable 2way radio communications and it can be dangerous to remove your hands - and your attention - away from the situation at hand.

The **Wireless PTT Tactical Response Kit** allows the user to be hands free as the Wireless PTT button (transmitter) can be hidden in your pocket, secured to forward pistol grip, secured to the steering wheel of a vehicle or wherever required. The Wireless PTT (transmitter) is IP67 rated and completely water proof. There is no charging of batteries as this product has been designed to be pressed 100,000 times (approximately 2 years) before the Wireless PTT button needs replacing.

The Tactical Response Wireless PTT has also been fitted with a **LARGE positive action CHEST MOUNTED PTT BUTTON** and longer cable from radio to the Chest Mounted PTT.

FEATURES:

- Tactical response design with longer cable from radio to large PTT and short cable from large PTT to earpiece.
- 2. Large CHEST MOUNTED PTT plus WIRELESS PTT BUTTON.
- 3. Weather proof with the Wireless PTT Button IP67 rated.
- 4. Any CRS Accessories earpiece option can be used with this custom harness.
- 5. Anybody who uses a Portable radio can secure the Wireless PTT to the steering wheel for hands free.







CR5

BLUETOOTH KITS



CRS-BT1

Bluetooth Dongle, Earbuds and Wireless PTT Button

This new Bluetooth kit provides instant and unrestricted communications between radio and earpiece. The wireless PTT button can be hidden in your pocket, secured to the steering wheel of a vehicle or wherever required. The kit includes a Bluetooth Dongle (if required), Wireless Earbuds and a Wireless PTT Button.

This kit is ideal for any industry where cables are a hazard, or for covert operations such as undercover police, customs or AFP, our wireless earbuds with separate hidden wireless PTT button are perfect for blending into the crowd.

Wireless PTT Features:

- IP Rating: IP54
- Working time: 30 Hours
- Charging time: 3 Hours
- 200mAh Lithium-ion polymer rechargeable battery

Earbud Features:

- Transmit Range: > 10M
- Working time: Single earbud up to 24 hours with charging case, Dual earbud up to 12 hours with charging case.
- Standby time: 30 Hours
- Charging time: 1.5 hours
- 40mAh rechargeable battery
- Function Keys: Force sensor

CRS-BT2

Bluetooth Dongle, Lapel PTT/ MIC and Listen Only Earpiece

This new Bluetooth kit provides instant and unrestricted communications between radio and earpiece. The wireless lapel PTT/Mic can be attached to your shirt, vest, or wherever required. The kit includes a Bluetooth Dongle (if required), Wireless Lapel PTT/Mic and Listen Only Earpiece.

This kit is ideal for any industry where cables are a hazard, for example Security Officers or Production Crews.

Wireless PTT Features:

- IP Rating: IP54
- Working time: 30 Hours
- Charging time: 3 Hours
- 200mAh Lithium-ion polymer rechargeable battery

Lapel Mic Features:

- IP Rating: IP54
- Noise Cancellation mic
- Working time: 12 Hours
- Vorking time. 12 Hour
- Charging time: 3 Hours
- 500mAh Lithium-ion polymer rechargeable battery
- 3.5mm headset jack







CR5

VEHICLE WIRELESS PTT





CRS-VWPTT

Hands Free Vehicle Wireless PTT

For some years mobile phones have had to be operated hands free while driving. CRS can now provide a product that complies with WHS requirements for safe driving while using a 2way radio. This innovative product now enables 2way radio users to be virtually hands free when communicating using their vehicle 2way radios.

CRS-VWPTTFS

Hands Free Vehicle Wireless PTT with Footswitch

With the ongoing changes in WHS, CRS Accessories can now offer a WIRELESS PTT FOOTSWITCH for crane and other vehicle operators who must have both hands on the controls but need to be in constant communication via their mobile 2way radio. This simple solution will eliminate (in most instances) costly fit-outs.




- The microphone is designed to be mounted on the door pillar of the vehicle. A built in amplifier in the microphone provides high sensitivity allowing the operator to comfortably communicate back to base in their normal seated position.
- The Vehicle Wireless PTT is easy to install as the device simply plugs into the front of the radio. Where this is not possible, we have an unterminated version which can be hardwired at the rear of the mobile 2way radio.
- Working frequency is 2.4G.
- There is no charging of batteries as this product has been designed to be pressed 100,000 times (approximately 2 years) before the Wireless PTT button needs replacing. If the Wireless PTT button does fail there is a second PTT backup button located on the receiver.



CR5

RACING AUDIO




CRS-MHK

AUDI

RACING

Motorcycle Helmet Kit – Radio Body Mount

The motorcycle helmet kit has been designed for the rider who wants to wear the 2way radio on their hip/body.



CRS-MHK2

Motorcycle Helmet Kit - Radio Bike Mount

The motorcycle helmet kit has been designed for the rider who wants to mount the 2way radio on the handle bars/body of the motorbike.



- . Nexus connection.
- Velcro ear-pads secure to inside of the rider's helmet.
- Strong boom microphone clamp.
- Suitable for full and open faced helmets.
- Motorcycle Wireless PTT is CE ticked.







CRS-MHKWP

Motorcycle Helmet Kit Wireless PTT – Cable Free

The Motorcycle helmet kit has been designed with a cable free "wireless" PTT button that can be secured to the handle bars. The button is IP67 (waterproof), does not need to be charged and lasts approx 2 years before needing to be replaced. There is a second PTT backup button located on the receiver. Replacement buttons are available and just need to be paired to the unit.



REMOTE SPEAKER MICROPHONE COMBINATIONS



The Wireless PTT Remote Speaker Microphone can be used like a standard speaker microphone. However, combined with the following external audio devices via the 3.5mm socket and in conjunction with the wireless PTT button, it provides the user with a wide range of WHS (Work Health Safety) compliant communication options.



OPTION 1

CRS-HDSMWPV1

Lightweight Headset

Wireless PTT Remote Speaker Microphone with Light Weight Behind the Head Headset

The Light Weight behind the head Headset with Wireless PTT Remote Speaker Microphone has been designed for use with hard hats, riot helmets, equestrian hats, bicycle helmets – any helmet that does not fully cover your ears. The Wireless PTT button can be secured to the handle bars of a push bike, riot shield, fork lift gears or any levers.

The KEY BENEFIT of incorporating the Remote Speaker Microphone Wireless PTT with the Lightweight headset is that it enables the user to leave the Wireless PTT button/helmet and lightweight headset behind and go about their business while still having communications via the Remote Speaker Microphone.



OPTION 2

CRS-HDSMWPV3

Heavy Duty Headset

Wireless PTT Remote Speaker Microphone with Heavy Duty Noise Canceling Behind the Head Headset

This product is designed for mining, construction, production, etc where hearing protection is a must but the operator needs to be hands-free e.g. crane operators, dozers, earthmoving equipment, etc. The heavy duty noise cancelling headset is designed to be worn in conjunction with a hard hat.

The KEY BENEFITS of incorporating the Remote Speaker Microphone Wireless PTT with the Heavy Duty Noise Cancelling Headset is that it:

- It enables the user to leave the Wireless PTT and Headset behind and go about their business while still having communications via the Remote Speaker Microphone.
- · Provides hearing protection.



OPTION 3

CRS-HDSMWPV4

Motorcycle Kit

Wireless PTT Remote Speaker Microphone with Motorcycle Helmet Kit

The KEY BENFFIT of incorporating the Remote Speaker Microphone Wireless PTT with the Motorcycle Helmet Kit is that when the rider alights from his ride he can simply:-

- Remove his helmet unplugging the kit from the Remote Speaker Microphone 3.5mm jack;
- · Leave the helmet and Wireless PTT button with the bike; and
- Go about his/her business in the knowledge that he/she still has communications with base via the Remote Speaker Microphone.

PMR/LMR MICROPHONES





- . Built in 3.5mm jack for earpiece connection.
- · Loud, clear audio.
- 360 degree swivel metal clip.
- · PU cable reinforced with Kevlar for maximum durability.
- Large PTT operating area.







CRS Accessories is constantly listening to market demand and we now have a robust, reliable microphone available for Vertex mobile radios. This microphone has been designed with a strong robust housing and large PTT operating area.



- Large PTT operating area.
- Strong and robust housing.
- 1 year warranty.







Vertex Standard













tait





Waterproof Heavy Duty Remote Speaker Microphone



• IP67 Rated

CR5

LIGHTWEIGHT HEADSETS





- Adjustable headband.
- · Electret microphones.
- 180 degree adjustable boom microphone.





Uniden









KENWOOD





Hytera





Lightweight behind the head Headset

Additional Features

- Designed for use with cap, hard hat, etc.
- Robust inline PTT with 2.5mm jack for optional finger PTT (CRS-Finger PTT).





Lightweight over the head Headset

CR5 ACCESSORIES

BEHIND HEAD HEADSETS



CRS-HDHSED

Enhanced Digital Heavy Duty Behind the Head Headset

The ENHANCED DIGITAL HEAVY DUTY behind the head NOISE CANCELING HEADSET works exceptionally well with digital 2way radios, providing better audio clarity from the tailored mic insert.

- Set up standard with Electret microphone (with option of Standard Dynamic microphone).
- Standard foam ear pads (Gel pads N/A).
- SNR 31dB (Single Number Rating) H=33dB, M=28dB, L=21dB.
- NRR 25dB.



Earmuff PTT Cable



Inline PTT Cable



CRS-HDHS

Premium Heavy Duty Behind the Head Noise Cancelling Headset

· Gel ear pads.

- Interchangeable Radio Interface Cable allowing 1 headset to suit different model radios.
 This also allows change-out of the main cable in the event the cable is damaged.
- Choice of Earmuff PTT or Inline/Earmuff PTT.
- Added Strain Relief to ensure protection of the main cable connection socket in the event the cable is caught on machinery, etc



- We have noted that when the cable is strained on similar products manufactured by other brands there is a potential for the cable socket to be damaged resulting in costly repairs to dismantle the earmuff and replace. With our design the cable may still fail if strained beyond normal operating conditions, however the earmuff remains protected by the strain relief mechanism, allowing quick cost effective replacement of the main cable.
- Electret noise cancelling microphone.
- 12 month warranty.



CR5

OVER THE HEAD HEADSETS







CRS-HDHSOH

Dual Muff Heavy Duty Over the Head Headset

- Set up standard with Electret Microphone (with option of Amplified Dynamic or Standard Dynamic microphone).
- NRR: 25dB (Noise Reduction Rating).
- SNR: 31dB (Single Number Rating). H=33dB, M=28dB, L=21dB.
- Come standard with foam ear pads (Gel pads N/A).

CRS-HDHSOHS

Single Muff Heavy Duty Over the Head Headset

- Electret microphone with 300 degree flexibility (enables you to wear the muff on right or left ear).
- Standard foam ear pads (upgradeable to Gel pads).

CRS-HDHSLO

Listen Only Over the Head Heavy Duty Headset

- 3.5mm plug provides you with the versatility of using with a 2way radio, MP3, scanner or other listening devices.
- Standard foam ear pads (Gel pads N/A).



- Interchangeable Radio Interface Cable allowing 1 headset to suit different model radios. This also allows change-out of the main cable in the event the cable is damaged.
- Choice of Earmuff PTT or Inline/Earmuff PTT.
- Added Strain Relief to ensure protection of the main cable connection socket in the event the cable is caught on machinery, etc.
- We have noted that when the cable is strained on similar products manufactured
 by other brands there is a potential for the cable socket to be damaged resulting
 in costly repairs to dismantle the earmuff and replace. With our design the
 cable may still fail if strained beyond normal operating conditions, however the
 earmuff remains protected by the strain relief mechanism, allowing quick cost
 effective replacement of the main cable.
- Electret noise cancelling microphone.
- 12 month warranty.







Inline PTT Cable



IEADSETS



OVER THE HEAD HEADSETS



CRS-HDHSOHDI

Dual Input Heavy Duty Over the Head Noise Cancelling Headset

The Dual Input Heavy Duty Headset enables you to connect one headset to two different radios. There is a separate PTT for each radio. The Dual Input Heavy Duty Headset also has listen only input for receiving audio from a third device if required.

- AUX INPUT JACK allows for input of secondary audio device such as MP3, Scanner, etc.
- Set up standard with Amplified Dynamic Microphone (with option of Standard Dynamic or Electret microphone).
- Adjustable head band.
- Standard foam ear pads (upgradeable to Gel pads).





Inline PTT Cable



CRS-HDHSHM

Helmet Mount Heavy Duty Noise Cancelling Headset

The Helmet Mount heavy duty headset is similar to our CRS-HDHS but connects to most standard hard hats rather than having a metal band around the back of the head and velcro strap over the head.

- Connects to most standard hard hats.
- AUX INPUT JACK allows for input of secondary audio device such as MP3, Scanner, etc.
- Set up standard with Amplified Dynamic Microphone (with option of Standard Dynamic or Electret microphone).
- Standard foam ear pads (upgradeable to Gel pads).

- Interchangeable Radio Interface Cable allowing 1 headset to suit different model radios. This also allows change-out of the main cable in the event the cable is damaged.
- . Choice of Earmuff PTT or Inline/Earmuff PTT.
- Added Strain Relief to ensure protection of the main cable connection socket in the event the cable is caught on machinery, etc.



- We have noted that when the cable is strained on similar products manufactured by other brands there is a potential for the cable socket to be damaged resulting in costly repairs to dismantle the earmuff and replace. With our design the cable may still fail if strained beyond normal operating conditions, however the earmuff remains protected by the strain relief mechanism, allowing quick cost effective replacement of the main cable.
- Amplified Dynamic Microphone (with option of Standard Dynamic or Electret).
- 12 month warranty.



SWITCHING POWER SUPPLIES





- Output voltage: 13.8 Volts DC
- Output Current Rating: 23 Amp
- Output Current Continuous: 23 Amp
- Output Over Voltage Protected
- Output Short Circuit Protected
- Built in Temperature Controlled Cooling Fan ensuring cool operation, high reliability and long life
- Compact Size: L 190 x W 181 x H 63 mm
- Ideal for Desktop Installation





- Input Voltage: 240 Volts AC
- Output Voltage: 13.8 Volts DC
- Output Current Rating: 30 Amp
- Built in battery backup circuit to automatically switch to batterypowered mode in a blackout, and switch back to AC-powered mode once power is restored. Power supply will charge battery simultaneously when in AC-powered mode.
- . Built in temperature controlled cooling fan, ensuring cool operation, high reliability and long life.
- Compact Size: D 190 x W 181 x H 63mm
- Weight: 1.52kg
- Ideal for Desktop Installation





The main advantage of the switching power supply is greater efficiency because the switching transistor dissipates little power when acting as a switch.

Other advantages include smaller size and lighter weight from the elimination of heavy line-frequency transformers, and lower heat generation due to higher efficiency.





KENWOOD









COMPACT TWO WAY RADIO CHARGERS

CRS-UMBC6

Compact Universal 6bay Charger

The COMPACT 6Bay Universal Charger has been designed with interchangeable charging pockets BUT is available for only a limited range of brand and model 2way radios. This charger is small, lightweight, and can be wall mounted.

DIMENSIONS: 29cm x 19cm x 9cm

WEIGHT: 1.5kgs



CRS-VC

Vehicle Charger

This compact travel charger allows the radio to be used while rapid charging in the charger base. Unit includes a voltage regulated vehicular charger adaptor, custom charger base, mounting bracket and coil cord, and plugs directly into vehicle's cigarette lighter adaptor.

SUITS: KENWOOD

CRS-VC-4 - TK-2180/3180, Nexedge NX200/300, NX5200/5300 (KNB33L, KNB47L, KNB-L1, KNB-L2, KNB-L3 Battery).

CRS-VC-5 - TK-2160/3160, TK-2170/3170, TK-2140/3140, TK-2360/3360, NX-220/320 (KNB35L and KNB57L Battery).

CRS-VC-6 - TK-2207/3207, TK-3202L, TK-2307/3307, TK-3212, TK-2407/3407, TK-3310, TK-D240/D340, NX-240/340 (Battery spacesprovided for KNB29N and KNB45L Batteries).







POCKETS TO SUIT UMBC6 CHARGER

ICOM Product Code

CRS-CPS-1 Suits: IC-41S, IC-41W, IC-F14/F24, IC-F33/43, IC-F3063/4063 (BP232,BP232N and BP232WP Battery.

CRS-CPS-19 Suits: IC-41Pro, IC-F1000/2000, IC-F1000D/2000D (BP280 Battery).

KENWOOD Product Code

CRS-CPS-6

Suits: TK-2207/3207, TK-3202L, TK2307/3307, TK-3212, TK-2407/3407, TK-3310, TK-D240/D340, NX-240/340 (KNB45L Battery).

CRS-CPS-4 Suits: TK-2180/3180, Nexedge NX200/300 (KNB33L, KNB47L and

CRS-CPS-5 Suits: TK-2160/3160, TK-2170/3170, 2140/3140, TK-2360/3360,

NX-220/320 (KNB35L and KNB57L Battery).

CRS-CPS-18 Suits: Kenwood PKT-23 2way radios only. (CRS-USBC-PKT23

Dual Bay Charger and CRS-USBC6-PKT23 12Bay Charger).

MOTOROLA Product Code

CRS-CPS-8

Suits: DP2400/2401, DP2600/2601, DP3400/3401, DP3600/3601, DP4400/4401, DP4600/4601 (MotoTRBO Series Radios).

Suits: GP320, GP340, GP328/329, GP338/339, HT750, HT1250, MTX900/960, PTX700/760/780, GP328/338Plus, GP329/339Plus, PTX700/760/780Plus, GP338XLS, MotoTRBO DP3441.

CRS-CPS-10 Suits: CP476 (PMNN4081 Battery).

CRS-CPS-14 Suits: R2.

VERTEX

Product Code

CRS-CPS-13 Suits: All Vertex 2way radios using the Vertex Uni Battery.

GME

Product Code

CRS-CPS-20 Suits: TX685, TX6150, TX6155 and TX6160.



- . Charging pockets available for a limited range or brand/model 2way radios.
- . Tri-Chemistry: Able to charge Ni-Cad, Ni-MH and Li-ion batteries.
- Well priced.
- 1 year warranty.







CARRY CASES – LEATHER



CRS-HDLC-2

Kenwood/Icom/Motorola/Hytera/Tait/HYT/ToooAir/Kirisun **Heavy Duty Leather Case**

Suits: HYT TC-610 and TC-700.

Hytera PD600 Series.

icom IC-F14/F24, IC-F33/F43, IC-F3023/F4023, IC-41S, IC-41W, IC-F3230DT/DS and IC-F4230DT/DS.

Kenwood TK-2202/3202, TK-2207/3207, TK-3212,

TK-2307/3307, TK-2317/3317, TK-3310, TK-2407/3407, TK-3710X, TK-D240/D340, NexEdge NX-240/340, NX-3200/3300, NX-1000 Series.

Motorola CP-476, MotoTRBO DP2400/2600 Series, MTP3000.

ToooAir TA-388.

Tait TP8000 Series (not full keypad).



CRS-HDLC-10

Kenwood/Icom/Vertex/HYT Heavy Duty Leather Case

Kenwood TK-2160/3160, TK-2360/3360, TK-2170/3170. NEXEDGE NX-220/320.

Vertex VX-231, VX-251, VX-424V, VX-426, VX-350, VX-351, VX-354.

Icom IC-F3003/4003, IC-F3103D/4103D, IC-41PRO, IC-F1000/2000, IC-F1100D/2100D.



CRS-HDSWLC-2

Kenwood/Icom/Motorola/Hytera/Tait/HYT/ToooAir/Kirisun **Heavy Duty Leather Case**

Suits: HYT TC-610 and TC-700.

Hytera PD600 Series.

, Icom IC-F14/F24, IC-F33/F43, IC-F3023/F4023, IC-41S, IC-41W, IC-F3230DT/DS and IC-F4230DT/DS.

Kenwood TK-2202/3202, TK-2207/3207, TK-3212,

TK-2307/3307, TK-2317/3317, TK-3310, TK-2407/3407,

TK-3710X, TK-D240/D340, NexEdge NX-240/340,

NX-3200/3300, NX-1000 Series.

Motorola CP-476, MotoTRBO DP2400/2600 Series. MTP3000.

ToooAir TA-388.

Kirisun T6.

Tait TP8000 Series (not full keypad)

We can leather cases for other popular Handheld 2way Radio models **UPON REQUEST**



CRS-HDSWLC-10

Kenwood/Vertex/Icom/HYT **Heavy Duty Swivel Leather Case**

Suits: HYT PD462

Kenwood TK-2160/3160. TK-2360/3360, TK-2170/3170, NEXEDGE NX-220/320. Vertex VX-231, VX-251, VX-424V, VX-426, VX-350, VX-351, VX-354. Icom IC-F3003/4003, IC-F3103D/4103D, IC-41PRO, IC-F1000/2000. IC F1100D/2100D



Genuine Leather.

- CRS-HDLC Series of cases utilize the radios' existing belt clip.
- CRS-HDSWLC Series of cases come standard with a swivel 3" belt loop
- PLUS a steel swivel clip (for people not wearing a belt).
- Cases accommodate the full range of battery sizes available for each brand/model radio.
- · Lightweight.
- · Cases fit snuggly, reducing bulkiness.
- . Designed to suit keypad and non keypad 2way radios.



CARRY CASES



CARRY CASES – NYLON



CRS-HDSWNC-2

Icom/Motorola/Kenwood/Hytera/Tait Heavy Duty Swivel Nylon Case

Suits: Icom IC-F14/F24, IC-F33/F43, IC-F3023/F4023, IC-415, IC-41W, IC-F3023/F4023, IC-415, IC-41W, IC-F3230DT/DS and IC-F4230DT/DS. Kenwood TK-2202/3202, TK-2207/3207, TK-3212, TK-2307/3307, TK-2317/3317, TK-3310, TK-2407/3407, TK-3710X, TK-D240/D340, NX-6200/3300, NX-1000 Series. Motorola CP-476, MTP3000, MotoTRBO DP2400/2600 Series. HYT TC-610 and TC-700. Hytera PD600 Series. ToooAir TA-388. Kirisun T60. Tait TP8000 Series (not full keypad).



CRS-HDSWNC-9

Motorola Plus/Icom/Vertex/GME Heavy Duty Swivel Nylon Carry Case

Suits: Vertex VX-821, VX-824, VX-829. Motorola GP328Plus/338Plus, GP328XLS, GP329Plus/339Plus, GP628Plus/638Plus, GP629Plus/639Plus, PTX700Plus/760Plus, PTX800Plus/860Plus, DP3441, DP3441e/DP3661e. GME TX680, TX6100, TX6150, TX6160. Icom IC-F50/F60.



CRS-HDSWNC-10

Icom/Kenwood/Vertex Heavy Duty Swivel Nylon Case

Suits: HYT PD462.
Kenwood TK-2160/3160,
TK-2360/3360, TK-2170/3170,
NEXEDGE NX-220/320.
Vertex VX-231, VX-251, VX-424V,
VX-426, VX-350, VX-351, VX-354,
VX-450, VX-456, EVX-530.
Icom IC-41PRO, IC-F3003/4003,
IC-F3103D/4103D, IC-F1000/2000,
IC-F1100D/2100D.



CRS-HDSWNC-11HVY

Heavy Duty Nylon Carry Case

ToooAir TA-680.

GME TX6500.

Suits: Motorola (Keypad and Non-Keypad Radios)
GP328/338, GP329/339, GP328LS/GP338LS,
MTX900/960, PTX700/760, GP340, HT750/1250,
MTP6550, MotoTRBO DP3400/3401,
DP4400/4401, DP4600/4601, DP4800/4801, R7.
Kenwood TK-260/360, TK-270/370,
TK-260G/360G, TK-270/370G, NX200/300,
NX-3300 with high capacity battery requires spacer).
Kirisun PT3600.
ICOM IC-40S.
Tait TP8100 series.



- CRS-HDSWNC Series of cases come standard with a swivel 3" belt loop PLUS a steel swivel clip (for people not wearing a belt).
- Cases accommodate the full range of battery sizes available for each brand/ model radio.
- · Lightweight.
- Cases fit snuggly, reducing bulkiness.
- Designed to suit keypad and non keypad 2way radios.

We can manufacture nylon cases for other popular Handheld 2way Radio models UPON REQUEST



CRS-HDNC-2HVY

High Visibility Nylon Carry Case

Suits: HYT TC-610 and TC-700. Hytera PD600 Series Icom IC-F14/F24, IC-F33/F43, IC-F3023/F4023, IC-41S, IC-41W, IC-F3230DT/DS and IC-F4230DT/DS. Kenwood TK-2202/3202, TK-2207/3207, TK-3212, TK-2307/3307, TK-2317/3317, TK-3310, TK-2407/3407, TK-3710X, TK-D240/D340, NexEdge NX-240/340, NX-3200/3300, NX-1000 Series. Motorola CP-476, MTP3000. MotoTRBO DP2400/2600 Series. ToooAir TA-388 Kirisun T60 Tait TP8000 Series (not full keypad)



CRS-HDNC-10HVY

High Visibility Nylon Carry Case

NEXEDGE NX-220/320

Suits: HYT PD462 Kenwood TK-2160/3160, TK-2360/3360, TK-2170/3170,

Vertex VX-231, VX-251, VX-424V, VX-426, VX-350, VX-351, VX-354. lcom IC-F3003/4003, IC-F3103D/4103D, IC-F1100D/2100D

IC-F3103D/4103D, IC-41PRO, IC-F1000/2000, IC-F1100D/2100D.



CRS-HDNC-11HVY Yellow High Visibility

Yellow High Visibility Nylon Carry Case

Suits: Motorola (Keypad and Non-Keypad Radios) GP328/338, GP329/339, GP328LS/GP338LS, MTX900/960. PTX700/760, GP340, HT750/1250, MTP6550, MotoTRBO DP3400/3401, DP4400/4401 DP4600/4601, DP4800/4801, R7. Kenwood TK-260/360, TK-270/370, TK-260G/360G, TK-270G/370G, NX200/300, NX-3300 with high capacity battery (requires spacer). Kirisun PT3600. ICOM IC-40S. Tait TP8100 series ToooAir TA-680. GME TX6500



CARRY CASES



CARRY CASES – HARNESSES – HOLSTERS



CRS-HDCH

Compact Lightweight Single Pocket Chest Harness

The single pocket chest harness is manufactured from durable light weight nylon and designed to suit all model 2way radios. The chest harness straps can easily be adjusted via three connection points ensuring a secure fit to the body.



- Universal suits all 2way radios/ mobile phones.
- Durable and light weight.
- Well priced.
- 1 year warranty.

We can manufacture nylon cases for other popular Handheld 2way Radio models UPON REQUEST



CRS-HDCHD

Dual Radio Chest Harness

The dual chest harness is manufactured to suit all model 2way radios and mobile phones. This product also has a 3rd pocket at the back suitable for notepad and pen. It is lightweight, durable and easy to wear. Suitable for all industry types.



CRS-HDCHPLUS

Security/Executive Chest Harness

Designed with wide shoulder straps to distribute weight evenly for comfort and constructed of durable lightweight canvas. A velcro sealed front compartment provides safe storage of items such as mobile phone, spare battery, note pad, etc. The chest harness has an antenna loop to secure the antenna in place with the design also providing you with the flexibility of attaching extra D-rings to secure extra gear such as a torch, etc.





CRS-HDRS

2way Radio Sling

There is nothing girlie about this heavy duty robust 2way radio sling – every man should have one! The single pocket sling is manufactured to suit all model 2way radios. Be the envy of all the boys and girls on site with the unique product – it may even feature on the Paris catwalk someday. Suitable for all industry types.

CRS-MVPH

Molle Vest Phone/PDA Holster

The Molle Vest Holster is manufactured to suit 4.7 to 6.1 inch mobile phones and handheld PDA scanners. Constructed of a durable nylon it is lightweight and easy to wear. Suitable for all industry types.

- Approximately 17cm X 8.7cm X 2.5cm (L x W x T)
- Compatible with 4.7inch 6.1 inch mobile/PDA screen sizes
- Constructed of durable lightweight Nylon
- Double Velcro fastening allows for attachment to most MOLLE-compatible backpack, pouch or vests.



CRS ACCESSORIES CONNECTOR CHART

CODE CONNECTOR FIGURE		CODE CONNECTOR FIGURE DESCRIPTION RADIO MG	
GME		GME Two-Pin Right Angle 3.5mm Mono + 2.5mm Mono Two-Pin Right Angle No locking screw	TX6100, TX6200, TX7200, TX630, TX670, TX680, TX655, TX665, TX667, TX675, TX677, TX685, TX6150, TX6155, TX6160. CP40, CP50, TX6160X, TX6160Pro, TX6600S (as long as you don't need locking screw).
H4		Hytera Multiple Pin	PD-702, PD782.
H5		Hytera Multiple Pin	PD-600 Series, X1e, X1p.
H6	-	Hytera Multiple Pin	PD-372
Н8		Hytera Multiple Pin	AP51X Series, AP58X Series, BP51X Series, BP56X Series (BP562 etc).
H1S		HYT With screw	TC700, TC610, TC620, PD400 Series, PD500 Series.
HR	:00	Six-Pin Hirose	Motorola Hirose wiring.

CODE	CONNECTOR FIGURE	DESCRIPTION	RADIO MODELS			
			Kenwood	TK-250/350, 260/360, 260G/360G, 270/370, 270G/370G, TK-2160/3160, TK-2170/3170, TK-3130(ProTalk XLS), 3131(Free Talk XLS), TK-2207/3207, TK-3212, TK-2202/3202, TK-2107, TK-3107, TK-3207/3307, TK-2317/3317, TK-2407/3407, TK-3310, TK-2360/3360, TK-3710X(ProTalk CB), TK-D240/D340, NX220/320, NX-240/340, NX-1000.		
			HYT/Hytera	HYT TC-368.		
			Baofeng	BF-F8+, BF-F9, UV-5R, UV-B6, UV-82.		
	10.804.804.900	Kenwood Two-Pin Right Angle 3.5mm Stereo + 2.5mm Mono	FDC	FD-268A/B, FD-278, FD-289, FD-6288.		
K1			Puxing	PX-666, PX-777, PX-777 Plus, PX-328, PX-888, PX-888K, PX-999.		
			Wouxun	KG-UV6D, KG-UV6D PRO, KG-UV8D, KG-UV8D Plus, KG-UV9D, KGUV9D Plus, KG-659, KG-669, KG-669 Plus, KG-679, KG-679 Plus, KG-689, KG-689 Plus, KG-699E, KG-UV899, KG-UVD1P.		
			Kirisun	PT3600		
			TooAir	TA-308, TA-388, TA-450.		
			Uniden	UH755, XTRAK 50.		
			Talkpod	N50, N56, N59.		
			TYT	MD-380		
			осом	PD-28		
K2	CURE	Kenwood Multiple-Pin	TK-2140/3140, TI	TK-280/380, TK-290/390, TK-385, TK-480, TK-481, TK-2041, TK-2140/3140, TK-3148, TK-2180/3180, NX-200/300, NX-3200/3300, NX-5200/5300.		
K4		Kenwood Single Pin	PKT-23	PKT-23		
KR4	•••	Kirisun Single Pin	W-60			



CRS ACCESSORIES CONNECTOR CHART

CODE	CONNECTOR FIGURE	DESCRIPTION	N RADIO MODELS			
	HENE	Motorola Two-Pin Right	Motorola	GP68, GP88, GP300, GP308, GP350, P040 P080, P110, P1225, P1225LS, P2000, CP88, CP125, CP150, CP200, CT150, CT250, CT450, CT450LS, CP476, PR021E PR03150, BPR40, EP450, DEP450, MTH500, GTX, SP50, LTS2000, PR400, R		
M1			нүт	HYT2100, TC500, TC600, TC1600, TC2100, TC446, TC518 TC700, TC610, TC620.		
IVII		Angle 3.5mm Mono +	Midland	G15, G18.		
	H H	2.5mm Mono	Simoco	SDP560		
			FDP	FDP Pro, DMR64.		
			Black Box	Black Box-U.		
			Kirisun	DP405, PT6500.		
M3		Motorola One-Pin 3.5mm Screwed Stereo	Visar Series			
M4	1000	Motorola Multiple-Pin	HT750, HT1250, HT1250LS, HT1550, HT1550XLS, MTX850, MTX850LS, MTX900, MTX950, MTX960, MTX8250, MTX8250LS, MTX9250. PRO5150, PRO5350, PRO5450, PRO5550, PRO5750, PRO7150, PRO7350, PRO7450, PRO7550, PRO7750, PRO9150, PTX780. GP140, GP320, GP328, GP329, GP330, GP338, GP339, GP340, GP360, GP380, GP600, GP640, GP650, GP680, GP1880.			
			Motorola	EX500, EX600, GL2000, GP328Plus, GP338Plus, GP628Plus, PTX760Plus, GP344, GP388, PRO5150Elite.		
			RELM	RPV3000, 3600/RPU3000, 3600.		
M5		Motorola Multiple-Pin	HYT	TC380M/370M, TC780M, TC-780.		
		·	Simoco	SRP9170/9180, SDP650, SDP660.		
			TooAir	TA430, TA680, TA682.		
		Kirisu		PT7200, TC3000.		
M6		Motorola Multiple-Pin	Motorola	GP900, GP9000, HT1000, JT1000, MT2000, MTS2000, MT6000, MTX838, MTX900, MTX900, MTX1000, MTX8000, MTX9000, MTX-LS, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000/5100/7700.		
			EF Johnson	5100/5700 Series, 511X, 512X, 518X.		

CODE	CONNECTOR FIGURE	DESCRIPTION	RADIO MODELS			
M7	CHHHI	Motorola Multiple-Pin	Motorola	MOTOTRBO, APX2000, APX3000, APX6000, APX7000, MTP6550, XPR6300,6500,6350,6550, DP3400, DP3600, DP3401, DP3601, DP4400,4400e, DP4401/4401e, DP4600, DP4601/4601e, DP4800e, DP4801/4801e.		
			Rapid	P2000		
M10		Motorola Single-Pin	Motorola CLP	Motorola CLP		
M11	1011	Motorola	SL1600, SL2600, SL4010, CLP107e, LEX L11, TLK100.			
M12		Motorola Multiple-Pin	DP2000, DP2400/2400e, DP2600/2600e, DP3440/3441, DP3441e, DP3661e, XPR3300, XPR3500, MTP3100, MTP3250, MTP3500, MTP3550, R5.			
M14	G Tilling	Motorola Multiple-Pin	R7			
MC4		Harris	XL200P			
NK1	1001	Cassidian	THR9i			



CRS ACCESSORIES CONNECTOR CHART

CODE	CONNECTOR FIGURE	DESCRIPTION	RADIO MODELS		
S2AIR		Icom Two-Pin Right Angle 3.5mm Mono + 2.5mm Stereo	IC-A6, IC-A24, IC-A15, IC-A16.		
S3W	HHHH (60 00	Icom Two-Pin Right Angle 3.5mm Mono + 2.5mm Stereo with Two Screws	IC-F3G, IC-F3GS, IC-F4G, IC-F4GS, IC-F11, IC-F21, IC-F31, IC-F33, IC-F43, IC-F14, IC-F24, IC-F3023, IC-F4023, IC-41S, IC-41W, IC-F3003/4003, IC-F3103D/4103D, IC-41PRO, IC-F1000, IC-F2000, IC-F3033S/4033S.		
S4		Icom Multiple-Pin	IC-F50, IC-F51, IC-F60, IC-F61, IC-F30G, IC-F30GT, IC-F30GS, IC-F31GS, IC-F31GT, IC-36FI, IC-F40G, IC-F40GS, IC-F40GT, IC-35FI, M87/88, IC-F3163, IC-F4163, IC-F3163D/4163D.		
S6		Icom Multiple-Pin Waterproof	IC-F4263, IC-F52D, IC-F62D, IC-F3400D, IC-F4400D.		
S8		Icom Two-Pin Right Angle 3.5mm Stereo + 2.5mm Stereo	lcom Rexon	IP100, IP501.	
STP	981	Sepura Multipin connector with screw	STP8000, STP9000, STB8000, SC20, SC21 Series Radio.		
T1		TAIT	TP8110, TP8115, TP8120, TP8135, TP8140, TP7110, TP9300, TP9400, TP9500, TP9600, TP9700.		
U		Uniden Two-Pin Right Angle 3.5mm Stereo+2.5mm Stereo	UH820S, UH850S, UH950S.		

CODE	CONNECTOR FIGURE	DESCRIPTION	RADIO MODI	ELS	
Y3	CEL	Yaesu/Vertex One-Pin Right Angle 3.5mm Quad with Two Screws	VX-351,VX-41	VX-160, VX-180, VX-210, VX-210A, VX-231, VX-351, VX-410, VX-420, VX-426, VX-451, VX-454, VX-456, VX-459, EVX-531, EXV534, EXV539.	
Y4	CCC (1111)	Yaesu/Vertex Single Pin 3.5mm Quad	Motorola	EVX-S24	
				1	
Y6	GAH O O	Yaesu/Vertex Multiple-Pin		VX820, VX821, VX824, VX829, VX920, VX921, VX924, VX929, VXD-720. Any radio or remote microphone with a 2.5mm earphone jack. Except those using M2 and M2S.	
J2		2.5mm Mono Right Angle			
J4	Uniden 2.5mm Stereo		Uniden	Uniden single pin 2.5mm right angle connection.	
	Ŧ	Right Angle	Garmin	Garmin Rino 650 GPS/UHF.	
J6	CCCCC CCCC	3.5mm Mono Right Angle	Any radio or remote microphone with a 3.5mm earphone jack.		
J8		3.5mm Stereo Right Angle	Any radio or remote microphone with a 3.5mm earphone jack.		





When you depend on it, *Insist* on CRS.





Carry Cases

Chargers

Earpieces



Headsets

Microphones

Racing Audio

Wireless PTT





Unit 2/900 South Road Edwardstown South Australia 5039 Phone 1300 307 334







